

CENOVNIK VIDEO NADZORA 2026

ELTEH

● ● ● engineering



since 2014

CENOVNIK OPREME ZA VIDEO NADZOR 2026

ANALOGNA OPREMA (AHD/TVI/CVI)	3
IC KAMERE 5MP	3
IC KAMERE 8MP	4
FULL-COLOR KAMERE 5MP	6
FULL-COLOR KAMERE 8MP	7
SMART COLOR KAMERE 5MP (IC + LED)	8
XVR SNIMAČI 5u1	9
IP OPREMA	11
IP KAMERE	11
NVR SNIMAČI	16
PoE SVIČEVI	17
DODATNA OPREMA I KABLOVI	20

CENE SU MP SA PDV-OM

ANALOGNA OPREMA (AHD/TVI/CVI)

IC KAMERE 5MP



	EL-AN052411 5MP	Plastika Dimenzije:99mm x 81mm	3.6mm 20m	1/3" CMOS sensor 2M/5M Lite, With IR-CUT, DWDR, DNR, UTC, OSD. AHD/TVI: 5M@20fps, 4M@30fps, 2M@30fps; CVI: 4M@30fps, 2M@30fps	34€ <small>AKCIJA</small>
	EL-AN050411 5MP	Plastika IP65 Dimenzije:99mm x 81mm	3.6mm 20m	1/ 2.7" CMOS sensor 2M/5M Output, With IR-CUT, DWDR, DNR, UTC, OSD. AHD/TVI: 5M@20fps, 4M@30fps, 2M@30fps; CVI: 4M@30fps, 2M@30fps	40€ <small>AKCIJA</small>
	EL-AN052401 5MP	Metal + Plastika IP66 Dimenzije:107mm x 88.3mm0	3.6mm 25m	1/3" CMOS sensor 2M (Default) /5M Output, With IR-CUT, DWDR, DNR, UTC, AHD: 5M@20fps, 4M@30fps, 2M@30fps;	46€ <small>AKCIJA</small>
	EL-AN152414 5MP	Plastika IP67 Dimenzije:157mm x 70mm x 66mm	3.6mm 20m	1/2.7" CMOS sensor, 2M/5M Lite, With IR-CUT, DWDR, DNR, UTC, OSD. AHD/TVI: 5M@20fps/12.5fps, 4M@30fps, 2M@30fps; CVI: 4M@30fps, 2M@30fps	36€ <small>AKCIJA</small>
	EL-AN131424 3.1MP	Plastika IP66 Dimenzije:220mm x 105mm x 109mm	2.8mm 30m	AHD kamera ;1/2.7" 3.1 Megapixel ;Low Illumination, DWDR, DNR, UTC, OSD,IR CUT; hidroizolovano plasticko kuciste, fiksni objektiv	60€ <small>AKCIJA</small>
	EL-AN152427 5MP	Metal IP67 Dimenzije:268mm x 95mm x 88mm	6mm 60m	1/3" CMOS sensor, 2M (Default) /5M Output, With IR CUT, DWDR, DNR, UTC, OSD. AHD/TVI: 5M@20fps/12.5fps, 4M@30fps, 2M@30fps; CVI: 4M@30fps, 2M@30fps	80€ <small>AKCIJA</small>
	EL-AN152447 5MP	Metal IP67 Dimenzije:268mm x 95mm x 88mm	3.6mm 40m Ima AoC	1/3" CMOS sensor, 2M (Default) /5M Output, With IR CUT, DWDR, DNR, UTC, OSD. AHD/TVI: 5M@20fps/12.5fps, 4M@30fps, 2M@30fps; CVI: 4M@30fps, 2M@30fps	100€ <small>AKCIJA</small>

ELTEH ENGEENERING DOO
E-mail: veleprodaja@elteh.rs
www.elteh.rs

③ T: +381 60 0 337 255 - Prodaja
T: +381 60 0 337 253 - Tehnička podrška
T: +381 60 0 337 250 - Projektovanje i izvođenje
T: +381 020 337 250 - Kontakt










 AoC	EL-AN052806 5MP	Metal IP67 Dimenzije:119mm x 95mm	Varifokalna 2.8mm do 12mm 30m Ima AoC	1/3" CMOS sensor, 2M (Default) /5M Output, With IR CUT, DWDR, DNR, UTC, OSD. AHD/TVI: 5M@20fps/12.5fps, 4M@30fps, 2M@30fps; CVI: 4M@30fps, 2M@30fps	90€
	EL-AN124813 2,1MP SONY	Metal IP66 Dimenzije:291mm x 90mm x 93mm	Varifokalna 2.8mm do 12mm 60m	AHD ,TVI,CVI,CVBS kamera 4 u 1;1/2.9", SONY 2.1 MP sa mehanickim IR filterom,Low Illumination, DWDR, 3D NR,Defog, Sense-up, UTC, OSD;Vidni ugao 33°~105°;	90€
	EL-AN131814 3.1MP	Metal IP66 Dimenzije:291mm x 90mm x 93mm	Varifokalna 2.8mm do 12mm 60m	AHD kamera 1/2.9", 3.1 MP sa mehanickim IR filterom,Low Illumination, DWDR, DNR, UTC, OSDP66 metalno kuciste; 2.8~12mm varifokalni objektiv;Vidni ugao 33°~105; IR LED:42μ x 4PCS	90€
	EL-AN131816 3.1MP	Metal IP66 Dimenzije:346mm x 104mm x 108mm	Varifokalna 2.8mm do 12mm 60m	AHD kamera ;1/2.9", 3.1 MP sa mehanickim IR filterom,Low Illumination, DWDR, DNR, UTC, OSD;IP66 metalno kuciste; 2.8~12mm varifokalni objektiv; Vidni ugao 33°~105°;IR LED:42μ x 4PCS dometa 60m	90€

IC KAMERE 8MP

	EL-AN085401 8MP	Metal + Plastika IP66 Dimenzije:107mm x 88.3mm	3.6mm 25m	1/ 2,5" CMOS sensor 5M/4K Lite, With IR-CUT, DWDR, 3DNR, UTC, OSD. AHD/TVI: 8M@15fps, 5M@20fps/12,5fps, 4M/2M@30fps/25fps; CVI:; 8M@15fps/12fps, 4M/2M@30fps/25fps	60€
	EL-AN085402 8MP	Metal IP67 Dimenzije: 94.5mm x 76mm	3.6mm 25m	1/ 2,5" CMOS sensor 5M/4K Lite, With IR-CUT, DWDR, 3DNR, UTC, OSD. AHD/TVI: 8M@15fps, 5M@20fps/12,5fps, 4M/2M@30fps/25fps; CVI.: 8M@15fps/12fps, 4M/2M@30fps/25fps	60€

ELTEH ENGEENERING DOO
E-mail: veleprodaja@elteh.rs
www.elteh.rs

④ T: +381 60 0 337 255 - Prodaja
T: +381 60 0 337 253 - Tehnička podrška
T: +381 60 0 337 250 - Projektovanje i izvođenje
T: +381 020 337 250 - Kontakt

 	EL-AN085431 8MP	Metal + Plastika IP66 Dimenzije:107mm x 88.3mm	3.6mm 25m Ima AoC	1/ 2,5" CMOS sensor 5M/4K Lite, With IR-CUT, DWDR, 3DNR, UTC, OSD. AHD/TVI: 8M@15fps, 5M@20fps/12.5fps, 4M/2M@30fps/25fps; CVI., 8M@15fps/12fps, 4M/2M@30fps/25fps	60€
	EL-AN185414 8MP	Plastika IP66 Dimenzije:157mm x 70mm x 66mm	3.6mm 20m	1/2.7" CMOS sensor, 5M/4k Lite, With IR-CUT, DWDR, DNR, UTC, OSD.AHD/TVI: 8M@15fps, 5M@20fps/12.5fp s, 4M@30fps, 2M@30fps; CVI: 4M@30fps, 2M@30fps	44€
	EL-AN185416 8MP	Metal + Plastika IP66 Dimenzije:176.6mm x 67mm x 70mm	3.6mm 30m	1/ 2,5" CMOS sensor 5M/4K Lite, With IR- CUT, DWDR, 3DNR, UTC, OSD. AHD/TVI: 8M@15fps, 5M@20fps/12.5fps, 4M/2M@30fps/25fps; CVI.: 8M@15fps/12fps, 4M/2M@30fps/25fps	60€
	EL-AN185417 8MP	Metal IP67 Dimenzije:170mm x 70mm x 80mm	3.6mm 20m	1/ 2,5" CMOS sensor 5M/4K Lite, With IR- CUT, DWDR, 3DNR, UTC, OSD. AHD/TVI: 8M@15fps, 5M@20fps/12.5fps, 4M/2M@30fps/25fps; CVI.: 8M@15fps/12fps, 4M/2M@30fps/25fps	64€
	EL-AN185426 8MP	Metal IP67 Dimenzije:260mm x 90mm x 90mm	3.6mm 40m	1/ 2,5" CMOS sensor 5M/4K Lite, With IR-CUT, DWDR, 3DNR, UTC, OSD. AHD/TVI: 8M@15fps, 5M@20fps/12.5fps, 4M/2M@30fps/25fps; CVI., 8M@15fps/12fps, 4M/2M@30fps/25fps	98€
 	EL-AN085806 8MP	Metal IP67 Dimenzije:119mm x 98mm	2.8mm do 12mm Varifokalna 30m Ima AoC	1/ 2,5" CMOS sensor 5M(Default)/4K Output, With IR-CUT, DWDR, 2DNR, UTC, OSD. AHD/TVI: 8M@15fps, 5M@20fps, 4M/2M@30fps; CVI.: 8M@15fps, 4M/2M@30fps	110€
	EL-AN185820 8MP	Metal IP67 Dimenzije: 211mm x 92mm x 90mm	2.8mm do 12mm Varifokalna 40m	1/ 2,5" CMOS sensor 5M/4K Lite, With IR- CUT, DWDR, 3DNR, UTC, OSD. AHD/TVI: 8M@15fps, 5M@20fps/12.5fps, 4M/2M@30fps/25fps; CVI.: 8M@15fps/12fps, 4M/2M@30fps/25fps	110€

ELTEH ENGEENERING DOO
E-mail: veleprodaja@elteh.rs
www.elteh.rs

⑤ T: +381 60 0 337 255 - Prodaja
T: +381 60 0 337 253 - Tehnička podrška
T: +381 60 0 337 250 - Projektovanje i izvođenje
T: +381 020 337 250 - Kontakt













FULL-COLOR KAMERE 5MP

FOTOGRAFIJA	OZNAKA	MATERIJAL, VODOOPORNOST, DIMENZIJE	OPTIKA, IR DALJINA, AoC	SPECIFIKACIJE	MP CENA SA PDV-om
	EL-AN052491 5MP Full Color	Plastika IP65 Dimenzije: 83.9mm x 68.8mm	3.6mm 25m	1/3" CMOS sensor 5M (Default) /2M Output, With IR-CUT,DWDR,DNR, UTC,AHD: 5M@20fps, 4M@30fps, 2M@30fps;	36€
	EL-AN052492 5MP Full Color	Metal + Plastika IP66 Dimenzije: 107mm x 88.3mm	2.8mm 25m	1/3" CMOS sensor 5M (Default) /2M Output, With IR-CUT, DWDR, DNR, UTC, AHD: 5M@20fps, 4M@30fps, 2M@30fps;	44€
	EL-AN152496 5MP Full Color	Plastika IP66 Dimenzije: 174mm x 68mm x 70mm	2.8mm 25m	1/3" CMOS sensor 5M (Default) /2M Output, With IR-CUT, DWDR, DNR, UTC, AHD: 5M@20fps, 4M@30fps, 2M@30fps;	40€
	EL-AN052452 5MP Full Color	Metal + Plastika IP66 Dimenzije: 107mm x 88.3mm	2.8mm 25m Ima AoC	1/3" CMOS sensor 2M (Default) /5M Output, With IR-CUT, DWDR, DNR, UTC, AHD: 5M@20fps, 4M@30fps, 2M@30fps;	46€ <small>AKCIJA</small>
	EL-AN152457 5MP Full Color	Metal IP67 Size: ⌀ 268mm x 95mm x 88mm	3.6mm 40m Ima AoC	1/3" CMOS sensor 2M (Default) /5M Output, With IR-CUT, DWDR, DNR, UTC, AHD: 5M@20fps, 4M@30fps, 2M@30fps;	90€ <small>AKCIJA</small>

ELTEH ENGEENERING DOO
E-mail: veleprodaja@elteh.rs
www.elteh.rs

⑥ T: +381 60 0 337 255 - Prodaja
T: +381 60 0 337 253 - Tehnička podrška
T: +381 60 0 337 250 - Projektovanje i izvođenje
T: +381 020 337 250 - Kontakt

FULL-COLOR KAMERE 8MP

 	EL-AN085452 8MP Full Color	Metal + Plastika IP66 Dimenzije:107mm x 88.3mm	2.8mm 25m Ima AoC	1/ 2.5" CMOS sensor 5M (Default) /4K Output, With IR-CUT,2DNR, UTC, TVI: 8M@15fps, 5M@20fps, 4m/2M@30fps;	 66€
 	EL-AN085454 8MP Full Color	Metal IP67 Dimenzije:96mm x 91mm	2.8mm 25m Ima AoC	1/3" CMOS sensor, AHD/TVI/CVI: 8M@15fps/12.5fps, 4M/2M@30fps/25fp s CVI:4M@30fps, 2M@30fps/25fps	 68€
 	EL-AN185459 8MP Full Color	Metal IP67 Dimenzije:169mm x 67.5mm x 70mm	2.8mm 25m Ima AoC	1/ 2.5" CMOS sensor 5M (Default) /4K Output, With IR-CUT,2DNR, UTC. TVI: 8M@15fps, 5M@20fps, 4m/2M@30fps;	 68€
 	EL-AN185457 8MP Full Color	Metal IP67 Dimenzije:268mm x 95mm x 88mm	3.6mm 40m Ima AoC	1/ 2.5" CMOS sensor 5M (Default) /4K Output, DWDR, 3DNR, UTC,OSD, AHD/TVI: 8M@15fps,5M@20fps/12,5 fp s, 4M@30fps/25fps, 2M@30fps/25fps;CVI: 4M@30fps, 2M@30fps/25fps	 100€

ELTEH ENGEENERING DOO
 E-mail: veleprodaja@elteh.rs
 www.elteh.rs

⑦ T: +381 60 0 337 255 - Prodaja
 T: +381 60 0 337 253 - Tehnička podrška
 T: +381 60 0 337 250 - Projektovanje i izvođenje
 T: +381 020 337 250 - Kontakt

NOVO







SMART COLOR KAMERE 5MP (IC + LED)

 AoC	EL-AN152494 5MP SMART COLOR	Plastika IP66 Dimenzije: 159mm x 69.8mm x 69.8mm	2.8mm 30m Ima AoC	1/2.5" CMOS sensor, IR-CUT, DWDR, DNR, UTC. TVI: 5MP@20fps, 5MP@12.5fps (default), 4MP@25fps, 4MP@30fps, 1080P@25fps, 1080P@30fps IC mode – crno/beli režim Full color mode - kolor noćni režim Intelligent mode – automatsko osvetljenje na detekciju pokreta	50€
 AoC	EL-AN152496 5MP SMART COLOR	Metal + Plastika IP66 Dimenzije: Ø110mmx95 mm			58€
 AoC	EL-AN052491 5MP SMART COLOR	Plastika Dimenzije: Ø90.6mm x 69.3 mm			50€
 AoC	EL-AN052494 5MP SMART COLOR	Metal + Plastika IP66 Dimenzije: Ø110mmx95 mm			58€

ELTEH ENGEENERING DOO
E-mail: veleprodaja@elteh.rs
www.elteh.rs





⑧ T: +381 60 0 337 255 - Prodaja
T: +381 60 0 337 253 - Tehnička podrška
T: +381 60 0 337 250 - Projektovanje i izvođenje
T: +381 020 337 250 - Kontakt

XVR SNIMAČI 5u1

FOTOGRAFIJA I OZNAKA	PROTOK	SNIMA U	OPIS	MP CENA SA PDV-om
 EL-245041 5MP 4CH / IP9CH + Ton	48Mbps	5M-N@8fps 2M-N@18fps	5 u 1 XVR snimač 4 kanala za AHD,TVI,CVI,CVBS i IP kamere, Prikazuje sve rezolucije do 5 MP Snimanje 5M-N@8fps/4M-N@15fps/3M-N@18fps/2M-N@18fps; IPC Only:9CH;Default 2CH,Max 5MP ; 1 audio ulaz, 1 audio izlaz ; kompresija H265/H264; video izlazi : HDMI , VGA; 1 x SATA HDD do 8 TB, metalno kuciste. Bandwidth:48Mbps; Cloud technology, CMS, mobilna aplikacija FreeIP,Bit Vision,(IOS, ANDROID);AI menagement/Face comparison:1CH	80€
 EL-275041 5MP 4CH / IP9CH + Ton	48Mbps	4K-N@8fps 5M-N@10fps 5M@6fps 2M@15fps	5 u 1 XVR snimač 4 kanala za AHD,TVI,CVI,CVBS i IP kamere, Snimanje 4K-N@8fps, 5M-N@10fps, 5m@6fps, 4M-N@15fps, 4m@8fps,3M-N@18fps/, 3M@9fps2M@15fps; IP maksimalno 9 kamera/30fps Snimanje u 8MP/6MP/5MP/4MP/3MP/ 2MP/1MP Ulazni bitrate do 80Mbit/sec, 4 audio ulaza, 1 audio izlaz kompresija H265/H264+/H264; video izlazi : HDMI 4K, VGA, CVBS(BNC); 1 x SATA HDD do 8 TB, metalno kuciste. Cloud technology, CMS, mobilna aplikacija FreeIP,Bit Vision,(IOS, ANDROID)	118€
 EL-235041 8MP 4k 4CH / IP16CH	80Mbps	4K-N@8fps 5M-N@10fps 5M@6fps 2M@15fps	5 u 1 XVR snimač 4 kanala za AHD,TVI,CVI,CVBS i IP kamere, Snimanje AHD/TVI u 8MP/8fps,5M/12fps/4MP/15fps, 3MP/18fps, 2MP,1MP,960H/25fps; IP: maksimalno 16 kamera/30fps;Snimanje u 8MP/6MP/5MP/4MP/3MP/2MP/1MP.Ulazni bitrate do 80Mbit/sec; 4 audio ulaza, 1 audio izlaz ; kompresija H265/H264+/H264; video izlazi : HDMI 4K, VGA, CVBS (BNC); 1 x SATA HDD do 8 TB, metalno kuciste. Cloud technology, CMS, mobilna aplikacija FreeIP,Bit Vision,(IOS, ANDROID)	176€
 EL-245081 5MP 8CH / IP16CH + Ton	80Mbps	5M-N@8fps 2M-N@18fps	5 u 1 XVR snimač 8 kanala za AHD,TVI,CVI,CVBS i IP kamere,Prikazuje sve rezolucije do 5 MP Snimanje 5M- N@6fps/4M-N@8fps/3M-N@10fps/2M-N@15fps; IPC Only:16CH;Default 1CH,Max 5MP ; 2 audio ulaza, 1 audio izlaz ; kompresija H265/H264; video izlazi : HDMI , VGA; 1 x SATA HDD do 6 TB, metalno kuciste. Cloud technology, CMS, mobilna aplikacija FreeIP,Bit Vision,(IOS, ANDROID);AI menagement/Face comparison:1CH	96€
 EL-265081 8MP 4k 8CH / IP32CH	160Mbps	4K-N@8fps 5M-N@10fps 5M@6fps 2M@15fps	5 u 1 XVR snimač 8 kanala za AHD,TVI,CVI,CVBS i IP kamere,Snimanje AHD/TVI/CVI:4K-N@8fps,5M-N@10fps,5M@6fps,4M-N@15fps,4M@8fps,3M-N@18fps,3M@9fps,2M@15fps; IP: maksimalno 32 kamera/30fps; Snimanje u 8MP/6MP/5MP/4MP/3MP/2MP/1MP.Ulazni bitrate do 80Mbit/sec; 4 audio ulaza, 1 audio izlaz ; kompresija H.265/H264+/H264; video izlazi : HDMI 4K, VGA, CVBS (BNC); 1 x SATA HDD do 8 TB, metalno kuciste. Cloud technology, CMS, mobilna aplikacija FreeIP,Bit Vision,(IOS, ANDROID)	180€
 EL-275081 8MP 4k 8CH / IP32CH + Ton	160Mbps	4K-N@8fps 5M-N@10fps 5M@6fps 2M@15fps	5 u 1 XVR snimač 8 kanala za AHD,TVI,CVI,CVBS i IP kamere,Snimanje AHD/TVI/CVI:4K-N@8fps,5M-N@10fps,5M@6fps,4M-N@15fps,4M@8fps,3M-N@18fps,3M@9fps,2M@15fps; IP: maksimalno 32 kamera/30fps; Snimanje u 8MP/6MP/5MP/4MP/3MP/2MP/1MP.Ulazni bitrate do 80Mbit/sec; 4 audio ulaza, 1 audio izlaz ; kompresija H.265/H264+/H264; video izlazi : HDMI 4K, VGA, CVBS (BNC); 1 x SATA HDD do 8 TB, metalno kuciste. Cloud technology, CMS, mobilna aplikacija FreeIP,Bit Vision,(IOS, ANDROID)	198€

ELTEH ENGEENERING DOO
E-mail: veleprodaja@elteh.rs
www.elteh.rs

⑨ T: +381 60 0 337 255 - Prodaja
T: +381 60 0 337 253 - Tehnička podrška
T: +381 60 0 337 250 - Projektovanje i izvođenje
T: +381 020 337 250 - Kontakt


 <p>EL-245161 5MP 16CH / IP16CH + Ton</p>	80Mbps	5M-N/@8fps 2M-N/@18fps	5 u 1 XVR snimac 16 kanala za AHD,TVI,CVI,CVBS i IP kamere,Prikazuje sve rezolucije do 5 MP Snimanje 5M- N/@6fps/4M-N/@8fps/3M-N/@10fps/2M-N/@15fps; IPC Only:16CH;Default 1CH.Max 5MP ; 2 audio ulaza, 1 audio izlaz ; kompresija H265/H264; video izlazi : HDMI , VGA; 1 x SATA HDD do 6 TB, metalno kuciste. Cloud technology, CMS, mobilna aplikacija FreeIP,Bit Vision,(IOS, ANDROID);AI management/Face comparison:1CH	 198€
 <p>EL-275161 8MP 4k 16CH / IP32CH + Ton</p>	160Mbps	4K-N/@8fps 5M-N/@10fps 5M/@6fps 2M/@15fps	5 u 1 XVR snimac 16 kanala za AHD,TVI,CVI,CVBS i IP kamere,Snimanje AHD/TVI/CVI:4K-N/@8fps,5M-N/@10fps,5M@6fps,4M-N@15fps,4M@8fps,3M-N@18fps,3M@9fps,2M@15fps; IP: maksimalno 32 kamera/30fps; Snimanje u 8MP/6MP/5MP/4MP/3MP/2MP/1MP.Ulazni bitrate do 80Mbit/sec; 4 audio ulaza, 1 audio izlaz ; kompresija H.265/H264+/H264; video izlazi : HDMI 4K, VGA, CVBS (BNC); 1 x SATA HDD do 8 TB, metalno kuciste. Cloud technology, CMS, mobilna aplikacija FreeIP,Bit Vision,(IOS, ANDROID)	360€
 <p>EL-225328 5MP 32CH / IP32CH</p>	160Mbps	5M-N/@8fps 2M-N/@18fps	HD: Max 32CH@15fps / IPC: Max 32CH@30fps / Analog: Max 32CH@30fps;Audio Input/Output: RCA 12CH In/ 1CH Out Alarm Input/Output: Alarm 16CH In/4CH Out;Compression Method: H.265+/H.265/H.264+/H.264;Recording resolution and frame rate HD: 5M@6fps; 4M@8fps; 3M@9fps; 1080P@15fps;720P@25fps; Analog: 960H, PAL@25fps/NTSC@30fps; IPC Only: 8MP/6MP/5MP/4MP/3MP/2MP/1MP, etc (Total incoming bandwidth ≤160M), PAL@25fps/NTSC@30fps;8 SATA Hard Disk Interface (2.5"/3.5" SATA, Up to 64TB)	640€

ELTEH ENGEENERING DOO
E-mail: veleprodaja@elteh.rs
www.elteh.rs

⑩ T: +381 60 0 337 255 - Prodaja
T: +381 60 0 337 253 - Tehnička podrška
T: +381 60 0 337 250 - Projektovanje i izvođenje
T: +381 020 337 250 - Kontakt

IP OPREMA

IP KAMERE

FOTOGRAFIJA	OZNAKA	MATERIJAL, VODOOPOORNOST, DIMENZIJE	OPTIKA, IR DALJINA, PoE, MIKROFON	SPECIFIKACIJE	MP CENA SA PDV-om
	EL-IP642406 4MP	Plastika Dimenzije:107mm x 88,3mm	2.8mm 25m PoE:Ima +Ugradjen mikrofon	1/2.9" CMOS, Fullhan SOC, DWDR, Main stream: 1440P/1080P@25fps, with Internal POE, Built in Mic, Support Intrusion Detection	44€
	EL-IP342417 4MP	Plastika IP66 Dimenzije:174mm x 67mm x 70mm	2.8mm 25m PoE:Ima +Ugradjen mikrofon	1/2.9" CMOS, Fullhan SOC, DWDR, Main stream: 1440P/1080P@25fps, with Internal POE, Built in Mic, Support Intrusion Detection (Based on human shape detection)	46€
	EL-IP342418 4MP	Metal+plastika IP67 Dimenzije: 176.6mm x 67mm x 69.8mm	2.8mm 25m PoE:Ima +Ugradjen mikrofon	1/3"Progressive Scan CMOS Sensor; Main Stream: 2560*1440@25fps, 1920*1080@25fps, 1280*720@25fps, 720*480@25fps,640*360@25fps	54€
	EL-IP682407 8MP	Metal IP67 Dimenzije:96mm x 91mm	2.8mm 25m PoE:Ima +Ugradjen mikrofon	1/2.7"Progressive Scan CMOS Sensor; Main Stream: 3840*2160@20fps, 3200*2900@20fps, 2880*1620@30fps,1920*1080@30 0fps, 1280*720@30fps, 720*480@20fps/720*480@30fps, 352*288@20fps/352*288@30fps	76€
	EL-IP382418 8MP	Metal + Plastika IP67 Dimenzije:176.6mm x 67mm x 70mm	2.8mm 25m PoE:Ima +Ugradjen mikrofon	1/2.7"Progressive Scan CMOS Sensor; Main Stream: 3840*2160@20fps, 3200*2900@20fps, 2880*1620@30fps,1920*1080@30 0 fps, 1280*720@30f ps, 720*480@20fps/720*480@30fps, 352*288@20fps/352*288@30fps	70€
	EL-IP382419 8MP	Metal IP67 Dimenzije:169mm x 67.5mm x 70mm	2.8mm 25m PoE:Ima +Ugradjen mikrofon	1/2.7"Progressive Scan CMOS Sensor; Main Stream: 3840*2160@20fps, 3200*2900@20fps, 2880*1620@30fps,1920*1080@30 0 fps, 1280*720@30f ps, 720*480@20fps/720*480@30fps, 352*288@20fps/352*288@30fps	76€

ELTEH ENGEENERING DOO
E-mail: veleprodaja@elteh.rs
www.elteh.rs

⑪

T: +381 60 0 337 255 - Prodaja
T: +381 60 0 337 253 - Tehnička podrška
T: +381 60 0 337 250 - Projektovanje i izvođenje
T: +381 020 337 250 - Kontakt

	EL-IP382499 8MP SMART COLOR	Metal IP67 Dimenzije:169mm x 67.5x 70mm	2.8mm Infrared Distance: 40m, Warm light: 30m PoE:Ima +Ugradjen mikrofon	1/2.7" Progressive Scan CMOS, Fullhan SOC, HDR, Main Stream: 8MP@20fps/6MP@20fps /5MP@20fps /1080P@30fps/ 720P@30fps	90€
	EL-IP682497 8MP SMART COLOR	Metal IP67 Dimenzije:96mm x 91 mm	2.8mm Infrared Distance: 40m, Warm light: 30m PoE:Ima +Ugradjen mikrofon	1/2.7" Progressive Scan CMOS, Fullhan SOC, HDR, Main Stream: 8MP@20fps/6MP@20fps /5MP@20fps /1080P@30fps/ 720P@30fps	90€
	EL-IP653407 5MP SONY SMART COLOR	Metal IP67 Dimenzije:125mm x 90.2mm	2.8mm Infrared Distance: 40m, Warm light:30m PoE:Ima +Ugradjen mikrofon	1/2.8"SONY Starvis Back- illuminated CMOS sensor; Main Stream: 2592*1944@30fps, 2560*1440@30fps, 1920*1080@30fps, 1280*720@30fps, 720*480@30fps	120€
	EL-IP353419 5MP SONY SMART COLOR	Metal IP67 Dimenzije:169mm x 67.5mm x 70mm	2.8mm Infrared Distance: 40m, Warm light:30m PoE:Ima +Ugradjen mikrofon	1/2.8"SONY Starvis Back- illuminated CMOS sensor; Main Stream: 2592*1944@30fps, 2560*1440@30fps, 1920*1080@30fps, 1280*720@30fps, 720*480@30fps	120€
	EL-IP383419 8MP SONY SMART COLOR	Metal IP67 Dimenzije:169mm x 67.5mm x 70mm	2.8mm Infrared Distance: 40m, Warm light:30m PoE:Ima +Ugradjen mikrofon	1/2.8"SONY Starvis Back- illuminated CMOS sensor; Main Stream: 3840*2160@20fps, 2560*1440@20fps, 1920*1080@20fps, 1280*720@20fps, 720*480@20fps	140€
	EL-IP652407 5MP SONY Full Color	Metal IP67 Dimenzije:126.8mm x 93.8mm	2.8mm 25m PoE:Ima +Ugradjen mikrofon	1/2.8" Sony sensor NOVATEK SOC, WDR, With Internal POE Main Stream: 5MP@30fps / 4MP@30fps / 1080P@30fps / 720P@30fps	150€
	EL-IP652406 5MP SONY	Metal IP67 Dimenzije:126.8mm x 93.8mm	2.8mm 25m PoE:Ima +Ugradjen mikrofon	1/2.8" Sony sensor, NOVATEK SOC, WDR, With Internal POE+Built in Mic Main Stream: 5MP@30fps / 4MP@30fps / 1080P@30fps/ 720P@30fps	130€

ELTEH ENGEENERING DOO
E-mail: veleprodaja@elteh.rs
www.elteh.rs

⑫ T: +381 60 0 337 255 - Prodaja
T: +381 60 0 337 253 - Tehnička podrška
T: +381 60 0 337 250 - Projektovanje i izvođenje
T: +381 020 337 250 - Kontakt

	EL-IP351418 5MP SONY	Metal IP67 Dimenzije:171mm x 73mm x 73mm	3.6mm 30m PoE:Ima	1/2.8" SONY Sensor; Rockchip RV1109, HDR, Starlight Main Stream: 5MP@30fps, 4MP@30fps,1080P@30fps, 720P @30fps With Internal POE, Build in 4G Storage 1 Built-in MIC Smart Analytics: Intrusion/ Line Cross/Wandering/Gather Detection	140€ AKCIJA
	EL-IP350470 5MP SONY	Metal IP67 Dimenzije:268mm x 95mm x 88mm	3.6mm 40m PoE:Ima	1/2.8" SONY Starvis Back- illuminated CMOS sensor Fullhan SOC, DWDR, Starlight, With Internal POE Main Stream: 4MP@30fps, 5MP@20fps, 1080P@30fps;	150€
	EL-IP650858 5MP SONY	Metal IP67 Dimenzije: 119mm x 98mm	2.8-12mm Varifokalna 30m PoE:Ima	1/2.8" SONY Starvis Back- illuminated CMOS sensor Main Stream: 5MP@30fps / 4MP@30fps / 1080P@30fps / 720P@30fps 5MP HD Lens :IR Range: 30m 2.8- 12mm Manual Zoom Lens	150€ AKCIJA
	EL-IP350862 5MP SONY	Metal IP67 Dimenzije:211mm x 92mm x 90mm	2.8-12mm Varifokalna 40m PoE:Ima	1/2.8" SONY Starvis Back- illuminated CMOS sensor Fullhan SOC, DWDR, Starlight, Main Stream: 4MP @30fps, 5MP@20fps,1080P@30fps	160€ AKCIJA
	EL-IP682406 8MP SONY	Metal IP67 Dimenzije:126.8mm x 93.8mm	2.8mm 25m PoE:Ima +Ugradjen mikrofon	1/2.8" Sony sensor, NOVATEKSOC, WDR, Main Stream: 8MP@20fps / 4MP@20fps/1080P@20fps/ 720P@20fps Smart Analytics:Intrusion/Line Crossing/Wandering/PeopleG at heringDetection	150€ AKCIJA
	EL-IP381418 8MP SONY	Metal IP67 Dimenzije:171mm x 73mm x 73mm	3.6mm 30m PoE:Ima	1/2.8" SONY Sensor; Rockchip RV1126, HDR, Starlight 8MP@30fps/6MP@30fps/4M P@3 0fps/1080P@30fps/720P @ 30fps Build 4G Storage Support Alarm I/O, Line Audio I/O Smart Analytics: Intrusion/ Line Cross /Wandering/Gather Detection etc.	180€ AKCIJA
	EL-IP380470 8MP SONY	Metal IP67 Dimenzije:268mm x 95mm x 88mm	3.6mm 40m PoE:Ima	1/2.8" SONY Sensor; Rockchip RV1126, HDR, Starlight 8MP@30fps/6MP@30fps/4 MP @30fps/1080P@30fps/720P @ 30fps Internal POE Build 4G Storage Support Alarm I/O, Line Audio I/O Smart Analytics: Intrusion/ Line Cross/ Wandering/Gather Detection etc	250€ AKCIJA








ELTEH ENGEENERING DOO
E-mail: veleprodaja@elteh.rs
www.elteh.rs

⑬ T: +381 60 0 337 255 - Prodaja
T: +381 60 0 337 253 - Tehnička podrška
T: +381 60 0 337 250 - Projektovanje i izvođenje
T: +381 020 337 250 - Kontakt

	EL-IP412426 12MP SONY	Metal IP67 Dimenzije:260mm x 90mm x 90mm	3.6mm 40m PoE:Ima	1/1.7" SONY Low Illumination CMOS Sensor;HISILICON Hi3519V,Low Stream, DWDR, 3D NR; With IRCUT; Main Stream: 12M@20fps, 8M/6M /5M/4M/1080P@30fps; Supp ort Internal POE & External SD Card Slot (Max. 512G)	290€ AKCIJA
	EL-IP604400 4MP Fish eye	Metal Dimenzije: 94,5mm x 40mm	1.1mm 15m PoE:Ima	1/2.9" SONY Low Illumination CMOS Sensor, HISILICON Hi3516D, Low Stream, WDR, 3D NR; With IR-CUT Main Stream: 2048 x 2048@15fps 5MP Audio Alarm I/O Support CVBS	280€
	EL-IP605000 5MP SONY PTZ	Metal IP66 Dimenzije:200mm x 150mm	2.8mm do 12mm Varifokalna 4x zoom 45m PoE:Ima	1/2.8" SONY Starvis Back- illuminated CMOS sensor Hisilicon Hi3516E, DWDR, 3D NR Main Stream: 5MP@15fps; With IR-CUT H.265/H.264 Compression	280€
	EL-IP305000 5MP SONY PTZ	Metal IP66 Dimenzije:396mm x 196mm x 16mm	10X Optical Zoom (f=5.1mm- 51mm) 100m PoE:Ima	1/2.8" SONY Starvis Back- illuminated CMOS sensor Hisilicon Hi3516E, DWDR, 3D NR Main Stream: 5MP@15fps; With IR-CUT H.265/H.264 Compression 10X Optical Zoom (f=5.1mm-51mm)HD- IP Pan/Zoom Bullet Camera	500€
	EL-IP055403 5MP SONY	Metal IP67 Dimenzije: 126.8mm x 107.2mm	3.6mm 25m PoE:Ima +Ugradjen mikrofon	1/2.8" SONY Starvis Back- illuminated CMOS sensor, Main Stream: 2592*1944@30fps, 2560*1440@30fps, 1920*1080@30fps, 1280*720@30fps Posедује LED svetlo 4000K i stroboskopsko svetlo crvene i plave boje, detekcija pokreta	150€
	EL-IP155403 5MP SONY	Metal IP67 Dimenzije: 164.6mm x 67.4mm x 67.7mm	3.6mm 25m PoE:Ima +Ugradjen mikrofon	1/2.8" SONY Starvis Back- illuminated CMOS sensor, Main Stream: 2592*1944@30fps, 2560*1440@30fps, 1920*1080@30fps, 1280*720@30fps, Poseduje LED svetlo 4000K i stroboskopsko svetlo crvene i plave boje, detekcija pokreta	150€
	EL-IP321460 2MP	Metal IP67 Dimenzije: 220mm x 105mm x 109mm	3.6mm 30m PoE:Ima	1/2.9" CMOS Sensor, Fullhan SOC 3D NR, With IR-CUT; With Internal POE Main Stream: 1080P/720P@25fps, 3MP@20fps; 3MP HD Lens 3.6mm	80€ AKCIJA

ELTEH ENGEENERING DOO
E-mail: veleprodaja@elteh.rs
www.elteh.rs





⑭ T: +381 60 0 337 255 - Prodaja
T: +381 60 0 337 253 - Tehnička podrška
T: +381 60 0 337 250 - Projektovanje i izvođenje
T: +381 020 337 250 - Kontakt

	EL-IP340460 4MP	Plastika IP66 Dimenzije:220mm x 105mm x 109mm	6mm 40m PoE:Ima	1/3" OV High-resolution CMOS Sensor HISILICON Hi3516D, WDR; With IR-CUT Main Stream: 4MP@20fps, 3MP/1080P@30fps	 90€
	EL-IP620858 2MP SONY	Metal IP67 Dimenzije: 119mm x 98mm	2.8-12mm Varifokalna 30m PoE:Nema	1/2.8" SONY Starvis Back- illuminated CMOS sensor Main Stream: 1080P@30fps; 5MP HD Lens ;IR Range: 30m 2.8-12mm Manual Zoom Lens	 90€
	EL-IP340863 4MP	Metal IP66 Dimenzije:291mm x 90mm x 93mm	2.8mm-12mm Varifokalna 40m PoE:Ima	1/3" OV High-resolution CMOS Sensor HISILICON Hi3516D, WDR; With IR-CUT Main Stream: 4MP@20fps, 3MP/1080P@30fps;	 140€
	EL-305481 5MP SMART COLOR	1 x WIFI NVR 4 x WIFI IPC 1 x DC12V2A Adapter; 4 x DC12V 1A Adapter; 1 x 1m Net Cable		Kamere: *Main Stream: 2880X1620@15fps *LED: 2PCS IR light&White light *IR & White light distance: 30m *Full color night vision; White light warning *Motion, Human&Vehicle Detection *Wi-Fi Range: 400m Max NVR: *Input 8CH 5MP@15fps *Video Output: 1xHD Output & 1xVGA Output *Compression Method: Smart H.265 *Recording Resolution: 2880X1620@15fps *Playback Resolution: 1CH@4K/4CH@1080P 15fps	549€

ELTEH ENGEENERING DOO
E-mail: veleprodaja@elteh.rs
www.elteh.rs


⑮ T: +381 60 0 337 255 - Prodaja
T: +381 60 0 337 253 - Tehnička podrška
T: +381 60 0 337 250 - Projektovanje i izvođenje
T: +381 020 337 250 - Kontakt





NVR SNIMAČI

FOTOGRAFIJA I OZNAKA	OPSEG PROTOKA	PoE input	OPIS	MP CENA SA PDV-om
 EL-308091 8MP 4K IP 9CH	80Mbps	/	IP Camera Input: 9CH (3840x2160, 2592x1944, 2048x1536, 1920x1080, 1280x960, 1280x720, etc).Incoming Bandwidth:80Mb. Recording Resolution: 8M/5M/4M/3M/1080P/960P/720p, etc (All Real Time).HD Output : 4K (3840x2160)/1920x1080/1280x1024/1280x720 VGA Output: 1920x1080/1280x1024/1280x720.1 CH Audio In/ 1 CH Audio Out.1SATA Hard Disk Interface (2.5"/3.5" SATA, Up to 8TB) Backup: 2xUSB2.0 .	100€
 EL-458041 8MP 4K IP 9CH/4PoE	72Mbps	4CH POE INPUT	IP Camera Input: 9CH(8MP/6MP/5MP/4MP/3MP/1080p/1280x1024/960p/720p/D1/CIF); Incoming Bandwidth:72Mbps; Recording Resolution: 4k(3840x2160), 5MP(2592x1944), 4MP(2688x1520/2560x1440), 3MP(2048x1536), 1080P(1920x1080), 960P(1280x960), 720P(1280x720), D1 (720x576/720x480); HD Output : 4K (1920*1080/1280*1024/1280*720/1024*768); Interface Type:1 SATA Hard Disk Interface (3.5" SATA); Up to 8TB capacity; 2 USB 2.0 Interfaces	110€
 EL-458081 8MP 4K IP 16CH/8PoE	100Mbps	8CH POE INPUT	IP Camera Input: 16CH (3840x2160, 2592x1944, 2048x1536, 1920x1080, 1280x960, 1280x720, etc).Incoming Bandwidth:100Mb.Recording Resolution: 8M/5M/4M/3M/1080P/960P/720p, etc (All Real Time).HD Output 4K (3840x2160) /1920x1080/1280x1024/1280x720 VGA Output: 1920x1080/1280x1024/1280x720.1 CH Audio In/ 1 CH Audio Out.4CH alarm IN/OUT.1 SATA Hard Disk Interface (2.5"/3.5" SATA, Up to 8TB)Backup:2xUSB2.0	220€
 EL-308161 8MP 4K IP 16CH	100Mbps	/	IP Camera Input: 16CH (3840x2160, 2592x1944, 2048x1536, 1920x1080, 1280x960, 1280x720, etc).Incoming Bandwidth:100Mb.Recording Resolution: 8M/5M/4M/3M/1080P/960P/720p, etc (All Real Time).HD Output 4K (3840x2160) /1920x1080/1280x1024/1280x720 VGA Output: 1920x1080/1280x1024/1280x720.1 CH Audio In/ 1 CH Audio Out.4CH alarm IN/OUT.1 SATA Hard Disk Interface (2.5"/3.5" SATA, Up to 8TB)Backup: 2xUSB2.0 .	130€
 EL-312362 12MP IP 36CH	300Mbps	/	IP Camera Input: 36CH (4000x3000, 3840x2160, 2592x1944, 2048x1536, 1920x1080, 1280x960, 1280x720, etc);Incoming Bandwidth: 300Mb;Recording Resolution: 12M/8M/5M/4M/3M/1080P/960P/720p, etc (All Real Time);Playback Resolution: 3CH@12MP/4CH@8MP;HD Output/VGA Output: 4K (3840x2160)/1920x1080/1280x1024/1280x720;Backup: 1xUSB2.0 & 1xUSB3.0;2 SATA Hard Disk Interface (3.5" SATA, Up to 12TB)	380€

ELTEH ENGEENERING DOO
 E-mail: veleprodaja@elteh.rs
 www.elteh.rs







⑆ T: +381 60 0 337 255 - Prodaja
 T: +381 60 0 337 253 - Tehnička podrška
 T: +381 60 0 337 250 - Projektovanje i izvođenje
 T: +381 020 337 250 - Kontakt

 <p>EL-312648 12MP IP 64CH</p>	300Mbps	/	<p>IP Camera Input: 64CH (4096x2160, 2592x1944, 2048x1536, 1920x1080, 1280x960, 1280x720, etc);Incoming Bandwidth: 300Mb;Alarm Input/Output: 16CH In/4CH Out;Recording Resolution: 12M/8M/5M/4M/3M/1080P/960P/720P, etc (All Real Time);Playback Resolution: 4CH@4K ;HD Output 1: 4K (3840 x2160)/1920x1080/1280x1024/1280x720/1024x768 HD Output 2/VGA Output: 1920x1080/ 1280x1024/1280 x720/1024x768;Backup: 2xUSB2.0 & 1xUSB3.0 & 1xESATA;8 SATA Hard Disk Interface (3.5" SATA, Up to 48TB)</p>	780€
---	---------	---	--	-------------

PoE SVIČEVI				
FOTOGRAFIJA	OZNAKA	BR. PORTOVA, PROTOK	DETALJNE SPECIFIKACIJE	CENA
	EL-POE402-H 4 PORT	2 x UPLINK 100MBPS 4 x POE 100MBPS	<ul style="list-style-type: none"> • 4x 10/100Mbps PoE port • 2x 10/100Mbps Uplink port • Support VLAN, Transmission Distance ≤250m • IEEE802.3af,IEEE802.3at • PoE Port Output: ≤30Watts • PoE Power Output (Total): ≤78Watts 	36€
	EL-POE802B-H 8 PORT	2 x UPLINK 1GBPS 8 x POE 100MBPS	<ul style="list-style-type: none"> • Internal Power Adapter, DC 52V 1.5A • 2x 100/1000Mbps Uplink • Support VLAN, Transmission Distance ≤250m • IEEE802.3af,IEEE802.3at • PoE Port Output: ≤30Watts • PoE Power Output (Total): ≤120Watts • Internal Power Adapter, DC 52V 2.3A 	64€
	EL-POE1602-H 16 PORT	2 x UPLINK 1GBPS 16 x POE 100MBPS	<ul style="list-style-type: none"> • 16x 10/100Mbps PoE ports • 2x 100/1000Mbps Uplink • Support VLAN, Transmission Distance ≤250m • IEEE802.3af,IEEE802.3at • PoE Port Output: ≤30Watts • PoE Power Output (Total): ≤250Watts • Internal Power Adapter, DC 52V 4.8A 	128€
	EL-POE2402-H 24 PORT	2 x UPLINK 1GBPS 24 x POE 100MBPS	<ul style="list-style-type: none"> • 24x 10/100Mbps PoE ports • 2x 100/1000Mbps Uplink • Support VLAN, Transmission Distance ≤250m • IEEE802.3af,IEEE802.3at • PoE Port Output: ≤30Watts • PoE Power Output (Total): ≤400Watts • Internal Power Adapter, DC 52V 7.7A 	168€




ELTEH ENGEENERING DOO
E-mail: veleprodaja@elteh.rs
www.elteh.rs

⑰ T: +381 60 0 337 255 - Prodaja
T: +381 60 0 337 253 - Tehnička podrška
T: +381 60 0 337 250 - Projektovanje i izvođenje
T: +381 020 337 250 - Kontakt

	EL-POE411-T 4 PORT	1 x UPLINK 1GBPS 4 x POE 1GBPS 1 x SFP 1GBPS	<ul style="list-style-type: none"> • 4x 100/1000Mbps PoE ports • 1x 100/1000Mbps Uplink port • 1x 100/1000Mbps SFP • Support VLAN, Transmission Distance ≤100m • IEEE802.3af, IEEE802.3at • PoE Port Output: ≤30Watts • PoE Power Output (Total): ≤78Watts 	52€
	EL-POE812-H 8 PORT	2 x UPLINK 1GBPS 8 x POE 100MBPS 1 x SFP 1GBPS	<ul style="list-style-type: none"> • 8x 10/100Mbps PoE ports • 2x 100/1000Mbps Uplink port • 1x 100/1000Mbps SFP • Support VLAN, Transmission Distance ≤250m • IEEE802.3af, IEEE802.3at • PoE Port Output: ≤30Watts • PoE Power Output (Total): ≤120Watts 	72€
	EL-POE1612-H 16 PORT	2 x UPLINK 1GBPS 16 x POE 100MBPS 1 x SFP 1GBPS	<ul style="list-style-type: none"> • 16x 10/100Mbps PoE ports • 2x 100/1000Mbps Uplink, 1x 100/1000Mbps SFP • Support VLAN, Transmission Distance ≤250m • IEEE802.3af, IEEE802.3at • PoE Port Output: ≤30Watts • PoE Power Output (Total): ≤250Watts 	156€
	EL-POE2412-H 24 PORT	2 x UPLINK 1GBPS 24 x POE 100MBPS 1 x SFP 1GBPS	<ul style="list-style-type: none"> • 24x 10/100Mbps PoE ports • 2x 100/1000Mbps Uplink port • 1x 100/1000Mbps SFP • Support VLAN, Transmission Distance ≤250m • IEEE802.3af, IEEE802.3at • PoE Port Output: ≤30Watts • PoE Power Output (Total): ≤400Watts 	186€
	EL-POE812-T 8 PORT WATCHDOG	2 x UPLINK 1GBPS 8 x POE 1GBPS 1 x SFP 1GBPS	<ul style="list-style-type: none"> • 8x 100/1000Mbps PoE ports • 2x 100/1000Mbps Uplink port • 1x 100/1000Mbps SFP • Support VLAN, Transmission Distance ≤100m • IEEE802.3af, IEEE802.3at • PoE Port Output: ≤30Watts • PoE Power Output (Total): ≤120Watts • WATCHDOG – automatski nadzor stabilnosti uređaja, resetuje switch u slučaju zamrzavanja ili softverske greške, obezbeđujući neprekidan rad mreže. 	80€
	EL-POE2422-T 24 PORT WATCHDOG	2 x UPLINK 1GBPS 24 x POE 1GBPS 2 x SFP 1GBPS	<ul style="list-style-type: none"> • 24x 100/1000Mbps PoE ports • 2x 100/1000Mbps Uplink port • 2x 100/1000Mbps SFP • Transmission Distance ≤100m • IEEE802.3af, IEEE802.3at • PoE Port Output: ≤30Watts • PoE Power Output (Total): ≤400Watts • WATCHDOG – automatski nadzor stabilnosti uređaja, resetuje switch u slučaju zamrzavanja ili softverske greške, obezbeđujući neprekidan rad mreže. 	300€

ELTEH ENGEENERING DOO
E-mail: veleprodaja@elteh.rs
www.elteh.rs

⑱ T: +381 60 0 337 255 - Prodaja
T: +381 60 0 337 253 - Tehnička podrška
T: +381 60 0 337 250 - Projektovanje i izvođenje
T: +381 020 337 250 - Kontakt

	EL-CTC5E	3U RJ45 konektori Primena: UTP Cat5e, Bakar debljine: 3U	1000rsd/ 100 kom
	EL-CTC6	3U RJ45 konektori Primena: UTP Cat6, Bakar debljine: 3U	1200rsd/ 100kom
	EL-CTRR01	RJ45 8P8C ženski-na-ženski mrežni LAN konektor / adapter Spojnica (kablovski produžetak) za RJ45 Ethernet kablove	150rsd/ kom
	EL-RH02P	RJ45 LAN portovi – mrežni 4K HD ekstender signala Prenos signala do 30 m preko Cat5e/Cat6 UTP Ethernet kabla (podržava 1080p/4K HD)	1000rsd/ par

ELTEH ENGEENERING DOO
E-mail: veleprodaja@elteh.rs
www.elteh.rs










⑉ T: +381 60 0 337 255 - Prodaja
T: +381 60 0 337 253 - Tehnička podrška
T: +381 60 0 337 250 - Projektovanje i izvođenje
T: +381 020 337 250 - Kontakt

DODATNA OPREMA I KABLOVI

FOTOGRAFIJA	KRATAK OPIS	MP CENA SA PDV-om
	UTP CAT 5E kabl 4P*2*0.5mm, CCA, 305M/kotur, Testirano na 250 m sa video balunima i 100m IP kamere bez degradacije slike	24rsd/m
	UTP CAT6 kabl 4P*2*0.56mm, CCA, 305M/kotur, Testirano na 250 m sa video balunima i 100m IP kamere bez degradacije slike	32rsd/m
	SFTP CAT6E kabl 4P*2*0.52mm, 100% Bakar, Al folija+96/0.12mm AIMrezica Plavi PVC omotac , 305M/kotur	120rsd/m
	KOAXIAL RG59 Kabl CCA, Crni PVC omotac , 305M /Drveni kotur; Testiran na 305m HD kamere od 0 do 5% degradacije slike. Na 250m bez degradacije slike.	30rsd/m
	KOAXIAL RG6 Kabl CCA, Crni PVC omotac , 305M /Drveni kotur; Testiran na 305m HD kamere od 0 do 5% degradacije slike. Na 250m bez degradacije slike.	36rsd/m
	KOAXIAL RG59+2x0.75 napojni kabl CCA, Crni PVC omotac , 305m/Drveni kotur. Domet do 250m bez degradacije slike zavisno od vrste napajanja .	48rsd/m
	Alarmni kabl, nesirmovan 4 zice*7/0.2mm CCA , Beli PVC omotac , 100m kotur	24rsd/m
	Audio kabl 2C*0.75mm ² , CCA , 100m kotur	36rsd/m






ELTEH ENGEENERING DOO
E-mail: veleprodaja@elteh.rs
www.elteh.rs

☎ T: +381 60 0 337 255 - Prodaja
T: +381 60 0 337 253 - Tehnička podrška
T: +381 60 0 337 250 - Projektovanje i izvođenje
T: +381 020 337 250 - Kontakt

	Audio kabl (Silikonski Provodni)2C*1.5mm2,CCA, 100m kotur	70rsd/m
	AC/DC adapter 12V - 2A AC/DC adapter 12V - 5A	8€ 16€
	AC/DC napajanje 12V - 5A AC/DC napajanje 12V -10A AC/DC napajanje 12V -15A AC/DC napajanje 12V -20A AC/DC napajanje 12V - 25A AC/DC napajanje 5V - 40A	16€ 20€ 22€ 80€ 40€ 40€
	Konektor BNC	80rsd/kom
	Konektor Pigtail STK	80rsd/kom
	AC/DC napajanje 12 -10A 9 izlaza za kamere do 1000mA	52€
	AC/DC napajanje 12 -20A 18 izlaza za kamere do 1000mA	72€
	UTP Balun AHD/CVI/TVI/CVBS	8€
	DC konektor / ženski	80rsd/kom

ELTEH ENGEENERING DOO
E-mail: veleprodaja@elteh.rs
www.elteh.rs

② T: +381 60 0 337 255 - Prodaja
T: +381 60 0 337 253 - Tehnička podrška
T: +381 60 0 337 250 - Projektovanje i izvođenje
T: +381 020 337 250 - Kontakt

	DC konektor / muski	80rsd/kom
	Konektor STK za 4 kamere Konektor STK za 8 kamera	300rsd/kom 600rsd/kom
	Mikrofon	1200rsd/kom
	Hard disk	NA UPIT
	SSD	NA UPIT
	Kutija za montažu kamera	5€/kom

ELTEH ENGEENERING DOO
E-mail: veleprodaja@elteh.rs
www.elteh.rs

② T: +381 60 0 337 255 - Prodaja
T: +381 60 0 337 253 - Tehnička podrška
T: +381 60 0 337 250 - Projektovanje i izvođenje
T: +381 020 337 250 - Kontakt



POZOVITE NAS

+381 60 0 337 250

+381 60 0 337 255

veleprodaja@elteh.rs

  @elteh.rs

ELTEH maksimalno koristi sve svoje resurse da Vam svi proizvodi u ovom cenovniku budu prikazani sa ispravnim nazivima, tehničkim podacima i fotografijama.
Moguće su greške u opisu i grafičkom prikazu. Za detaljnije informacije nas kontaktirajte.

ELTEH ENGEENERING DOO
E-mail: veleprodaja@elteh.rs
www.elteh.rs

② T: +381 60 0 337 255 - Prodaja
T: +381 60 0 337 253 - Tehnička podrška
T: +381 60 0 337 250 - Projektovanje i izvođenje
T: +381 020 337 250 - Kontakt